Appl. No. 10/789,967 Docket No. 8725R2R

Amdt. dated April 12, 2011

Reply to Office Action mailed on January 12, 2011

Customer No. 27752

AMENDMENTS TO THE CLAIMS

This following listing of claims will replace any/all prior versions, and listings, of

claims in the application, wherein additions are shown in underlined text and deletions are

shown in strike-out text:

<u>Listing of Claims</u>:

1.-10. (Canceled)

11. (Currently Amended) A method for preparing a lotion for reliable high speed

processing onto a substrate, the method comprising the steps of:

(a) providing a carrier system;

(b) mixing a premix solution comprising niacinamide and a material selected

from the group consisting of glycerin, propylene glycol, panthenol, and

mixtures thereof, at a temperature of at least about 35 degrees C; and

(c) milling the premix solution into the carrier system at a temperature of at

least about 35 degrees C to disperse the premix solution until an average

droplet diameter of the dispersed premix solution is less than about 100

microns to form said lotion.

12. (Original) The method of Claim 11, wherein the carrier system comprises

petrolatum.

13. (Currently Amended) The method of Claim 12, wherein the carrier system further

comprises fatty alcohols having about 12 to about 24 carbon atoms, alkyl ethoxylates,

fumed silica, talc, bentonites, hectorites, calcium silicates, magnesium silicates,

magnesium aluminum silicates, zinc stearates, sorbitol, colloidal silicone dioxides,

spermaceti, carnuba wax, beeswax, candelilla wax, paraffin wax, microcrystalline wax,

castrol wax, ceresin, esparto, ouricuri, rezowax, polyethylene wax, C12-C24 fatty acids,

Page 2 of 8

Appl. No. 10/789,967

Docket No. 8725R2R

Amdt. dated April 12, 2011

Reply to Office Action mailed on January 12, 2011

Customer No. 27752

polyhydroxy fatty acid esters, polyhydroxy fatty acid amides, polymethacrylate polymers,

polymethacrylate and styrene copolymers, or combinations thereof.

14. (Previously Presented) The method of Claim 12, wherein the carrier system

further comprises a skin treatment active selected from the group consisting of allantoin,

aluminum hydroxide gel, calamine, cysteine hydrochloride, racemic methionine, sodium

bicarbonate, Vitamin C, serine protease, metalloprotease, cysteine protease, aspartyl

protease, peptidase, phenylsulfonyl fluoride, lipase, diesterase, urease, amylase, elastase,

nuclease, guanidinobenzoic acid and its salts and derivatives, chamomile, and mixtures

thereof.

15. (Currently Amended) The method of Claim 11, wherein the solution is mixed at a

temperature of at least about 50 degrees C.

16. (Currently Amended) The method of Claim 11, wherein the solution is mixed at a

temperature of at least about 80 degrees C.

17. (Currently Amended) The method of Claim 11, wherein the milling is at a

temperature of at least about 50 degrees C.

18. (Currently Amended) The method of Claim 11, wherein the milling step

continues until the average droplet diameter of the dispersed premix solution is less than

about 50 microns.

19. (Canceled)

20. (Original) A disposable absorbent article comprising a lotion made according to

the method of Claim 11, wherein said disposable article is selected from the group

consisting of diapers, sanitary napkins, panty liners, and incontinence briefs.

Page 3 of 8

Appl. No. 10/789,967 Docket No. 8725R2R

Amdt. dated April 12, 2011

Reply to Office Action mailed on January 12, 2011

Customer No. 27752

21. (Previously Presented) The method of Claim 11, wherein said method further comprises the step of spraying, extruding, or slot coating said lotion onto said substrate.

- 22. (Previously Presented) The method of Claim 11, wherein said niacinamide is acidified niacinamide.
- 23. (Previously Presented) The method of Claim 11, wherein said material of said premix solution is selected from the group consisting of glycerin, propylene glycol, and mixtures thereof.
- 24. (Previously Presented) The method of Claim 23, wherein said material of said premix solution is glycerin.
- 25. (Previously Presented) The method of Claim 11, wherein said lotion further comprises chitosan or chitosan derivative.
- 26. (Currently Amended) The method of Claim 21, wherein said premix solution is added to the carrier system at a temperature of about 60 to about 90 degrees C.
- 27. (Currently Amended) The method of Claim 21, wherein said premix solution is added to the carrier system at a temperature of about 70 to about 90 degrees C.